


RECOIL

SW2.5

ECHO MAX SERIES

4-Ohm Mini Subwoofer




AN INSTRUCTION MANUAL

Please read this entire manual before first use

FEATURES

- Peak Power: 80 Watts | RMS Power: 20 Watts
- 0.8"/20mm CCAW 4-Ohm Voice Coil | Aluminium Bobbin
- Featuring Rigidly Compressed Composite Paper Pulp Cone
- Double Ferrite Magnet
- High Strength Cast Aluminum Frame
- Advanced Air Flow Cooling System



Mini Subwoofer

SW2.5

PARAMETERS

Size	Impedance	RMS Power	Peak Power
Ø 70mm/2.76"	4Ω	20W	80W
Voice Coil	Sensitivity	Frequency Response	Cone
Ø 0.8"/20.4mm	74dB/M/W	146Hz-2KHz	PAPER

THIELE- SMALL PARAMETERS

Fs: 146 Hz

Re: 3.2 ohm

Qes: 1.74

Qms: 3.43

Qts: 1.16

Vas: 0.1 L

Sd: 18.1 cm²

X max: 2mm

Mms: 5.5g

Bl: 3.0 Tm

No: 0.017 %

CMS: 216.1 uM/N



WWW.RECOILAUDIO.COM

COPYRIGHT© 2025 RECOIL ALL RIGHTS RESERVED. RECOIL, NINGBO AVS TECHNOLOGY CO., LTD AND DOMESTIC INVESTMENT GROUP, LLC ASSUME NO RESPONSIBILITY OR LIABILITY FOR FINES OR DAMAGES INCURRED AS A RESULT OF IMPROPER USE OF THIS PRODUCT.

SV2.5说明书 130g 铜板纸双面彩印，中间对折M型。